

Daniel Messer Library Systems & Services Mastodon: @cyberpunklibrarian@hackers.town

Electric Libraryland

AI, Copyright, Ownership, and Tomorrow

Sources and Resources cyberpunklibrarian.com/iug2025





Electric Libraryland Al, Copyright, Ownership, and Tomorrow

- Welcome to CWP101 Current World Problems
- Al
- Copyright
- Ownership

The varieties of Celtic music across Eastern North America



Electric Libraryland Al, Copyright, Ownership, and Tomorrow

- Welcome to CWP101 Current World Problems
- A
- Copyright
- Ownership
- The varieties of Celtic music across Eastern North America
 - Sorry, wrong talk
- What's coming aka The Future




Hello, l'm Dan Member-at-Large, IUG Steering Committee

• Almost 30 years in libraries Polaris ILS Administrator for Library Systems & Services \bullet Author of Bricks Without Clay: Demystifying PolarisTransactions Long time Polaris user









The future is already here. It's just not evenly distributed yet. ~William Gibson

https://commons.wikimedia.org/wiki/File:Scylla-_a_book_of_the_dead.jpg





Plane, train, auto hauling space age cargo Bizarro technology, every day is tomorrow

~Aesop Rock, from the song Mindful Solutionism off the album Integrated Tech Solutions










Me trying to do a basic task I've managed to do every day without incident for many years

Every organisation on Earth

U





Problems Within A





FURANSEMPTRE

RETRCFUTURISM



W Is W

Hackers and mindjackers are on the front lines While cryptocurrency

Is our gold mine

We barely trust each other but we have to

Because we know full well we can't trust you

~Mike Dynamo, Funan Beat Empire. From the song Megacity, off the album *Retrofuturism*


















Hi Mark! see if she still needs some help? Thanks! Holly


One of the front desk librarians at the Dinah Branch had a question about how to edit a bibliographic record in Leap. I gave her a quick walk through, but you know more than I do .When you get a chance, could you email Coreen and



Hi Mark! see if she still needs some help? Thanks!


Holly

One of the front desk librarians at the Dinah Branch had a question about how to edit a bibliographic record in Leap. I gave her a quick walk through, but you know more than I do .When you get a chance, could you email Coreen and



Hi Mark! see if she still needs some help? Thanks! Holly

One of the front desk librarians at the Dinah Branch had a question about how to edit a bibliographic record in Leap. I gave her a quick walk through, but you know more than I do .When you get a chance, could you email Coreen and



Hi Mark! One of the front desk librarians at the Dinah Branch had a question about how to edit a bibliographic record in Leap. I gave her a quick walk through, but you know more than I do .When you get a chance, could you email Coreen and see if she still needs some h ? Thanks! **Consider adding** some extra suffixes. Holly


















 $f_n(x)rac{d^n y}{dx^n}+\dots+f_1(x)rac{dy}{dx}+f_0(x)y=$




 $f_n(x)rac{d^n y}{dx^n}+\dots+f_1(x)rac{dy}{dx}+f_0(x)y=$


Five hours' New York jet lag and Cayce Pollard wakes in Camden Town to the dire and ever-circling wolves of disrupted circadian rhythm.





The LLMentalist Effect










Managing Expectations

This is new technology! It's not perfect! It's early days! This is a beta! Things will get better with time!







20 Questions




20 x 10¹⁰⁰ Questions
























"What? Chewie! Nah, it's just a dead animal, Chewie. Chewie, wa-wait! Don't! Nice work."

"What? Chewie! Nah, it's just a dead animal, Chewie. Chewie, wa-wait! Don't!





GLUE


















nothing = "something"



function myMessage() { echo "Hello IUG2025";

myMessage();

nothing = "something"



function myMessage() {


myMessage();

set @startdate = DATEADD(MM,DATEDIFF(M,0,GETDATE())-1,0);

set @enddate = DATEADD(S,-1,DATEADD(MM, DATEDIFF(M,0,GETDATE()),0));

nothing = "something"

echo "Hello IUG2025";



That would've worked if you hadn't stopped me.





A & Women



Spoiler: It's not great, Bob.



A & Women




Tasha McCauley






Tasha McCauley

Helen Toner



Tasha McCauley






Dr. Timnit Gebru

Helen Toner







Misogyny Homophobia

Racism Ageism







C C C

Garbage In Garbage Out









THE AI JOB

5

6

1

LGW 809G



Al & Copyright



Al & Copyright



What's mine is mine and what's yours is mine.


















When you put something out in the world, to what degree do you still get to control it and license it?

~Mark Zuckerberg





I think that with respect to content that's already on the open web, the social contract of that content since the '90s has been that it is fair use. Anyone can copy it, recreate with it, reproduce with it. That has been "freeware," if you like, that's been the understanding.

~Mustafa Suleyman




































HITHIN












🔊 Only you can see this


Meta Al Imagine yourself reflecting on life in an endless maze of mirrors where you're the main focus. Meta Al Imagine yourself reflecting on life in an endless maze of mirrors where you're the main focus.

...






....



🔊 Only you can see this





1998 - Sonny Bono Copyright Term Extension Act





1998 - Sonny Bono Copyright Term Extension Act **1971 - Abhay Bhushan publishes the spec for FTP**



1998 - Sonny Bono Copyright Term Extension Act 1971 - Abhay Bhushan publishes the spec for FTP 1986 - Chuck Forsberg releases ZMODEM












Aaron Swartz 1986 - 2013







Just because you're on their side, it doesn't mean they're on your side.

~Teresa Nielsen Hayden





The LC and the Al

ISBN & LCCN: ~85% success rate Subject Headings, Genres, etc: ~50%








Jack @jackscarab.bsky.social

"What trillion-dollar problem is Al trying to solve?"

having to pay wages.

December 27, 2024 at 9:41 AM

2K reposts 41 quotes 5.5K likes



Wages. They're trying to use it to solve



UNIVERSITY OF URBANA-CHAMPAIGN





Fresh Water Usage for AI: 4.2 - 6.6 Billion Cubic Meters



UNIVERSITY OF ILINIOIS Urbana-champaign





Crane Clean Energy Center


















Rij Th Th


Rip the heart from a community


Their culture surely dies

They progress but who moves ahead? The people who control the wealth

> ~The Unseen From the song Cultural Genocide, off the album *So This Is Freedom?*




















THE GAME





With today's decision, the U.S. Copyright Office confirms that the current level of video game preservation is appropriate and recognizes that video games present unique copyright concerns that should always be taken into consideration.









VIDEO GAME HISTORY FOUNDATION

The game industry's absolutist position which the ESA's own members have declined to go on the record to support—forces researchers to explore extra-legal methods to access the vast majority of out-of-print video games that are otherwise unavailable.






extra-legal methods
















Weather Data and Modeling Capitol Building Security Camera Video National Institutes of Health **GLBTQ+** Data and Resources















Hacker != Cybercriminal









associationsz colject_id. associationsz term_id. associationsz tat_id. associationsz term_taxonomy_id inontsitteri objects_tays object_id bjects tags term_id; wp_cb_tags2cats_cat_ID; categories term_taxonomy_id_FROM (SELECT wp_term_relationships.object_id_wp_term_taxonomy rm_id. ыр_term_taxonomy_term_taxonomy_id_FROM ыр_term_relationships_LEFT_JOIN ыр_term_taxonomy_ON_ыр_term_relationships_term_taxonomy_id ыр_term_taxonomy_term_taxonomy_id_ORDER_BY_object_id_ASC, term_id_ASC) AS_objects_tags_LEFT_JOIN ыр_cb_tags2cats_ON_objects_tags_term_id mp_cb_tags2cats tag_ID_LEFT_JOIN (SELECT wp_term_relationships object_id, wp_term_taxonomy_term_id as cat LD, wp_term_taxonomy rm_taxonomy_id_FROM wp_term_relationships_LEFT_JOIN wp_term_taxonomy_ON_wp_term_relationships_term_taxonomy_id = wp_term_taxonomy_ rm taxonomy_id WHERE up_term_taxonomy_taxonomy = 'category' GROUP_BY_object id, cat ID, term taxonomy id ORDER_BY object id, cat ID wonomic id) AS categories on up_cb_tags2cats cat_ID = categories term_id WHERE objects_tags_term_id = up_cb_tags2cats tag_ID GROUP BY oct id term id. cat ID. term taxonomy id ORDER BY object id ASC, term id ASC, cat ID ASC) AS associations2 LEFT JOIN categories ON sociations2 object_id = categories object id WHERE associations2 cat ID <> categories cat ID GROUP BY object id, term id, cot ID, no taxonomy of ORDER BY object id, term id, cat ID. term taxonomy id SELECT associations2 object id, associations2 term id, associations2 at ID associations2 term taxonomy id FROM SELECT objects tags object id objects tags term id, wp cb tags2cats cat ID, categories rm taxonomy id FROM (SELECT ыр term relationships object id, ыр term taxonomy term id, ыр term taxonomy term taxonomy id FROM term relationships LEFT JOIN up term taxonomy ON up term relationships term taxonomy id = up term taxonomy term taxonomy id ORDER BY lect id ASC. term id ASC) AS objects tags LEFT JOIN up ob tagsZeats ON objects tags term id = up_cb_tagsZeats tag_ID LEFT JOIN (SELECT term relationships object id up term taxonomy term id as cat ID, up term taxonomy term taxonomy id FROM up term relationships LEFT JOIN p_term_taxonomy_ON_wp_term_relationships_term_taxonomy_id = wp_term_taxonomy_term_taxonomy_id_WHERE_wp_term_taxonomy_taxonomy = 'category GROUP BY object id, cat ID, term taxonomy id ORDER BY object id, cat ID, term taxonomy (d) AS categories on wp cb tags2cats cat ID = tegories term_id WHERE objects tags term_id = wp_cb_tags2cats tag ID_GROUP_BY object id, term id, cat ID, term taxonomy id ORDER BY ASC. form id ASC. cat ID ASC) AS associations2 LEFT JOIN calegories ON associations2 object_id = categories object_id WHERE sociations2 cat ID <> categories cat ID GROUP BY object id. term id. cat ID. term taxonomy id ORDER BY object id. term id. cat ID, rm taxonomy id: SELECT associations2 object id, associations2 term id, associations2 cat ID, associations2 term taxonomy id FROM(SELECT jects tags object id, objects tags term id, wp_cb_tags2cats cat_ID, categories term taxonomy id FROM (SELECT wp_term_relationships ject id, wp term taxonomy term id, wp term taxonomy term taxonomy id FROM wp term relationships LEFT JOIN wp term taxonomy ON _term_relationships_term_taxonomy_id = wp_term_taxonomy_term_taxonomy_id_ORDER_BY_object_id_ASC, term_id_ASC) AS objects togs_LEFT_JOIN ON objects_tags_term_id = wp_cb_tags2cats_tag_ID_LEFT_JOIN (SELECT_wp_term_relationships_object_id, wp_term_taxonomy rm id as cat ID, wp term taxonomy term taxonomy id FROM wp term relationships LEFT JOIN wp term taxonomy ON wp term relationships rm_taxonomy_id = wp_term_taxonomy_term_taxonomy_id WHERE wp_term_taxonomy_taxonomy = 'category' GROUP_BY_object_id/ cat rm taxonomy id ORDER BY object id, cat ID, term taxonomy id) AS categories on wp cb tags2cats cat ID = categories term id WHERE jects_tags.term_id = wp_cb_tags2cats tag ID GROUP BY object id. term id. cat ID, term taxonomy id ORDER BY object id ASC, term id ASC I ID ASC) AS associations2 LEFT JOIN categories ON associations2 object_id = categories object_id WHERE associations2 cat_ID 🔿 tegories cat ID GROUP BY object id, term id, cat ID, term taxonomy id ORDER BY object id, term id, cat ID, term taxonomy id SELECT sociations2 object id, associations2 term id associations2 cat ID, associations2 term taxonomy id FROM SELECT objects tags object id jects tags term id, wp_cb_tags2cats cat_ID, categories term taxonomy_id_FROM (SELECT wp_term_relationships object_id, wp_term_taxonomy rm_id, wp_term_taxonomy_term_taxonomy_id_FROM wp_term_relationships_LEFT_JOIN wp_term_taxonomy_ON_wp_term_relationships_term_taxonomy_id up_term_taxonomy_term_taxonomy_id_ORDER_BY_object (1_ASC, term td_ASC) AS objects togs LEFT_JOIN up cb_tagsZcats ON objects tags term id wp_cb_tags2cats tag_ID LEFT JOIN (SELECT wp_term_relationships object_id, wp_term_taxonomy_term_id as call ID, wp_term_taxonomy rm taxonomy id FROM up term relationships LEFT JOIN up term taxonomy ON up term relationships term_taxonomy_id = up_term_taxonomy rm taxonomy_id WHERE up_term_taxonomy_taxonomy = 'category' GROUP_BY_object_id, cat_ID, term_taxonomy_id_ORDER_BY_objec (konomical) AS chilegonies on wp_cb_tags2cats cat_ID = categories term_id WHERE objects_tags term_id = wp_cb_tags2cats tag_ID GROUP BY nd out ID. term taxonomy id ORDER BY object id ASC, term id ASC, cat ID ASC) AS associations? LEFT JOIN colegories ON sociations2 object_id = categories object id WHERE associations2 cat ID 🔿 categories cat_ID GROUP BY object id. term id, cal n toxonomy of ORDER BY object of term id, cat ID, term taxonomy id; 🖉 Abdullah H. Mohammed; src stackoverflow.com ques 9356876 LECT associations2 object id. associations2 term id. associations2 cat ID, associations2 term taxonomy id FROM(SELECT objects tags ject id objects tags term id, up_cb_tags2cats cat ID, categories term taxonomy id FROM (SELECT up term relationships object id term id up term tayonomu term tayonomu id FROM up tere relationshing IFFT JOIN up tere layonom





British Library 600GB of data stolen

2023

- **Toronto Public Library**
- **11 Million Lendable Items**
 - 100 Branches



Calgary Public Library Seattle Public Library Delaware Libraries


Solano County Public Library London (Ontario) Public Library

2024



What do you own?







The only way that you could pray to make impression on the era ahead is if, instead of being notable, you make the data describing you undecodable

> ~MC Frontalot From the song Secrets from the Future off the album Secrets from the Future











	mplete Patron Circulation History - IMPROVED.sql - disconnected
	> daniel $>$ Sync $>$ LS&S $>$ 20 - 29 Database and Data Analysis $>$ 21 - Pe
D Run	Cancel 🕴 Connect 🗇 Change 📗 Database: Select Database
(6	
7	DECLARE @Patron INT Set up a variable for Patro
K 8 9	SET @Patron = 8675309 Put your PatronID here
6 10	SET gracion - 6015505 Pat your rationab here
-0 11	SELECT
12	p.Barcode AS [Patron Barcode],
12 13	pr.PatronFullName AS [Patron Name],
29 14 15 16 10 17	th.TranClientDate AS [Transaction Date],
9 15.	cir.Barcode AS [Item Barcode],
16	ird.Price AS [Price],
	br.BrowseTitle AS [Browse Title],
18	<pre>tt.TransactionTypeDescription AS [Transaction] pu.Name AS [Polaris User],</pre>
20	o.Name AS [Library/Branch],
21	w.DisplayName AS [Workstation]
22	
23	FROM
24	PolarisTransactions.Polaris.TransactionHeaders
25	
26	INNER JOIN Used to get the item record ID
27	PolarisTransactions.Polaris.TransactionDetails
28	ON (td1.TransactionID = th.TransactionID)
29 30	INNER JOINUsed to get the patron record ID PolarisTransactions.Polaris.TransactionDetails
31	(td2.TransactionID = th.TransactionID)
32	INNER JOIN SubTypeID 38 = The unique item record
33	Polaris.Polaris.CircItemRecords cir WITH (NOLO
34	<pre>(cir.ItemRecordID = tdl.numValue AND tdl.Tr</pre>
35	INNER JOIN Grabs the price from ItemRecordDetai
36	Polaris.Polaris.ItemRecordDetails ird WITH (NO
37	ON (ird.ItemRecordID = cir.ItemRecordID)
38	INNER JOIN SubTypeID 6 = The unique patron recor
39 40	Polaris.Polaris.PatronRegistration pr (pr.PatronID = td2.numValue AND td2.Transac
41	INNER JOIN Get patron barcode
42	Polaris.Polaris.Patrons p WITH (NOLOCK)
43	<pre>ON (pr.PatronID = p.PatronID)</pre>
44	INNER JOIN Get Transaction Type info
45	PolarisTransactions.Polaris.TransactionTypes t
46	<pre>ON (th.TransactionTypeID = tt.TransactionTypeI</pre>
47	INNER JOIN Get the browse title from the bib re
48 49	Polaris.Polaris.BibliographicRecords br WITH (ON (cir.AssociatedBibRecordID = br.Bibliograph
50	INNER JOIN Get the Polaris user
51	Polaris.Polaris.PolarisUsers pu WITH (NOLOCK)
52	<pre>(pu.PolarisUserID = th.PolarisUserID)</pre>
53	INNER JOIN Get the relevant organization
54	Polaris.Polaris.Organizations o WITH (NOLOCK)
55	<pre>ON (o.OrganizationID = th.OrganizationID)</pre>
56	INNER JOIN Get the workstation information
57	Polaris.Polaris.Workstations w WITH (NOLOCK)
58	<pre>ON (w.WorkstationID = th.WorkstationID)</pre>
59 60	WHERE
61	th.TransactionTypeID BETWEEN '6001' and '6999'
62	AND
63	td2.numValue = @Patron
64	AND Adjust dates as needed
65	th.TransactionDate BETWEEN '2024-05-01 00:00:0
66	
67	ORDER BY
68	th.TransactionDate DESC
68	th.TransactionDate DESC

0:00:00.000 AND 2024-08-07 23:59:59.999

6999

LOCK) OCK)

nTypeID) bib record WITH (NOLOCK) ographicRecordID)

Types tt WITH (NOLOCK)

H (NOLOCK) record ID FransactionSubTypeID = 6)

Headers th WITH (NOLOCK) Details td1 WITH (NOLOCK) Details td2 WITH (NOLOCK) record ID (NOLOCK) td1.TransactionSubTypeID = 38) dDetails

action],


> 21 - Polaris SQL > 21.01 - Repository > 🧧 Complete Patron Circulation History - IMPROVED.sql 🗸 🛛 🖧 Estimated Plan 🚰 Enable Actual Plan 🗸 Parse 🛱 Enable SQLCMD 📳 To Notebook PatronID

TransactionSubTypeID 🗸	
4	
6	
7	
11	
33	
38	
60	
61	
123	No. of Concession
125	
145	
186	
220	
224	
233	No. of Concession, Name
264	
268	and the second second
296	
300	and a second second
302	and other states

TransactionSubTypeDescription 🗸
MaterialType
PatronID
PatronCode
DueDate
PatronStatClassCode
ItemRecordID
Item Statistical Code
Assigned Collection Code
Patrons Assigned Branch ID
Items Assigned Branch ID
Checkout Type
Checkout Date
CourseReserveID
TermID
HoldRequestID
NextHoldRequestID
Item Home BranchID
Shelf location
Vendor Account ID
Patron Postal Code ID

<code>TransactionSubTypeID</code> \sim	•
4	
6	
7	
11	
33	
38	
60	
61	
123	
125	
145	
186	
220	
224	
233	
264	
268	
296	
300	
302	

TransactionSubTypeID 🗸	TransactionSubTypeDescription 🗸
4	MaterialType
6	PatronID
7	PatronCode
11	DueDate
33	PatronStatClassCode
38	ItemRecordID
60	Item Statistical Code
61	Assigned Collection Code
123	Patrons Assigned Branch ID
125	Items Assigned Branch ID
145	Checkout Type
186	Checkout Date
220	CourseReserveID
224	TermID
233	HoldRequestID
264	NextHoldRequestID
268	Item Home BranchID
296	Shelf location
300	Vendor Account ID
302	Patron Postal Code ID



J. Random Personman 9114 South Central Ave Monroville, KY 41101





J. Random Personman 9114 South Central Ave Monroville, KY 41101

Last Activity Date: March 14, 2020





J. Random Personman 9114 South Central Ave Monroville, KY 41101

Last Activity Date: March 14, 2025



polaris

Contents Index Welcome to the Polaris Staff Client Online Help Polaris Basics Patron Services Cataloging Community Profiles Acquisitions Serials Administration Cataloging Administration EContent Integration with Polaris Patron Services Administration Setting Circulation Permissions Setting Patron Services Parameters and Prot Setting Circulation Policy and Database Tabl Defining Patron Account Features Defining Patron Codes Maintaining Patron Registration Lists Setting Up User-Defined Fields Setting Up Patron Custom Data Fields Setting Patron Registration Required Fiel Setting Express Registration Defaults and Charging for Patron Registration Setting Patron Duplicate Detection Setting Reading History Options Setting Options for Associated Patrons Setting Up Patron Messages Setting Up Patron Photos Setting Options for Deleting Patron Recov Setting Patron Accounting Options Setting Payment Method Options Date Sources in Patron Records Removing Patron ID Information from Tra Setting Up E-Commerce - Overview and Rec Setting Up Circulation Workforms Setting Up Circulation Receipts Item Record Circulation Settings Automatic Process for Lost, Missing, Withdra Automatic Renewal Process Governing Library for Circulation Transaction Defining Loan Periods Defining Fines and Fees

Setting Up Hold and ILL Request Processing

Defining Circ and Request Limit Blocks

Cotting Un Finating Collections

BEA

You are here: Patron Services Administration > Defining Patron Account Features > Removing Patron ID Information from Transaction Files

Removing Patron ID Information from Transaction Files

Polaris records system transactions in transaction log files that are used for reporting, trouble-shooting, and system tracking purposes. Many circulation and patron accounting transactions are associated with specific patrons, and the log files that record these transactions store the specific patron IDs associated with the transactions. Using the Patron Services parameter Remove patron ID from circ transactions, you can purge this patron-specific information from your transaction records after a time period you specify. The same settings also purge patron IDs from item record histories. A nightly SQL job, PurgePatronIDFromCircTransactions, purges the patron IDs from the transactions according to your settings.

Important:

Patron IDs are not removed from transactions generated by the system unless this feature is enabled at the system level.

See also:

- Circ Transactions from Which Patron IDs Are Purged
- Remove Patron ID Report
- Set up patron identification purging


Circ Transactions from Which Patron IDs Are Purged

The table lists the transactions from which patron IDs are purged if you choose to enable this feature.

Note:

The obsolete transaction IDs listed in the table are no longer used but may still exist in your transaction records.

Transaction Type ID	Transaction Description
2011	OBSOLETE: Renewal Overdue Block
2012	OBSOLETE: Renewal Overdue Block Override
2090	OBSOLETE: Add hold request
2091	OBSOLETE: Reactivate hold request
2092	OBSOLETE: Cancel hold request
2093	OBSOLETE: Satisfy hold request
2094	OBSOLETE: Ship item for hold
2095	OBSOLETE: Receive item for hold
2096	OBSOLETE: Deny item for hold
2097	OBSOLETE: Bibliographic hold



polaris

Contents Index Welcome to the Polaris Staff Client Online Help Polaris Basics Patron Services Cataloging Community Profiles Acquisitions Serials Administration Cataloging Administration EContent Integration with Polaris Patron Services Administration Setting Circulation Permissions Setting Patron Services Parameters and Prot Setting Circulation Policy and Database Tabl Defining Patron Account Features Defining Patron Codes Maintaining Patron Registration Lists Setting Up User-Defined Fields Setting Up Patron Custom Data Fields Setting Patron Registration Required Fiel Setting Express Registration Defaults and Charging for Patron Registration Setting Patron Duplicate Detection Setting Reading History Options Setting Options for Associated Patrons Setting Up Patron Messages Setting Up Patron Photos Setting Options for Deleting Patron Recov Setting Patron Accounting Options Setting Payment Method Options Date Sources in Patron Records Removing Patron ID Information from Tra Setting Up E-Commerce - Overview and Rec Setting Up Circulation Workforms Setting Up Circulation Receipts Item Record Circulation Settings Automatic Process for Lost, Missing, Withdra Automatic Renewal Process Governing Library for Circulation Transaction Defining Loan Periods Defining Fines and Fees

Setting Up Hold and ILL Request Processing

Defining Circ and Request Limit Blocks

Cotting Un Finating Collections

BEA

You are here: Patron Services Administration > Defining Patron Account Features > Removing Patron ID Information from Transaction Files

Removing Patron ID Information from Transaction Files

Polaris records system transactions in transaction log files that are used for reporting, trouble-shooting, and system tracking purposes. Many circulation and patron accounting transactions are associated with specific patrons, and the log files that record these transactions store the specific patron IDs associated with the transactions. Using the Patron Services parameter Remove patron ID from circ transactions, you can purge this patron-specific information from your transaction records after a time period you specify. The same settings also purge patron IDs from item record histories. A nightly SQL job, PurgePatronIDFromCircTransactions, purges the patron IDs from the transactions according to your settings.

Important:

Patron IDs are not removed from transactions generated by the system unless this feature is enabled at the system level.

See also:

- Circ Transactions from Which Patron IDs Are Purged
- <u>Remove Patron ID Report</u>
- Set up patron identification purging


Circ Transactions from Which Patron IDs Are Purged

The table lists the transactions from which patron IDs are purged if you choose to enable this feature.

Note:

The obsolete transaction IDs listed in the table are no longer used but may still exist in your transaction records.

Transaction Type ID	Transaction Description
2011	OBSOLETE: Renewal Overdue Block
2012	OBSOLETE: Renewal Overdue Block Override
2090	OBSOLETE: Add hold request
2091	OBSOLETE: Reactivate hold request
2092	OBSOLETE: Cancel hold request
2093	OBSOLETE: Satisfy hold request
2094	OBSOLETE: Ship item for hold
2095	OBSOLETE: Receive item for hold
2096	OBSOLETE: Deny item for hold
2097	OBSOLETE: Bibliographic hold



	mplete Patron Circulation History - IMPROVED.sql - disconnected
	> daniel $>$ Sync $>$ LS&S $>$ 20 - 29 Database and Data Analysis $>$ 21 - Pe
D Run	Cancel 🕴 Connect 🗇 Change 📗 Database: Select Database
(6	
7	DECLARE @Patron INT Set up a variable for Patro
K 8 9	SET @Patron = 8675309 Put your PatronID here
6 10	SET gracion - 6015505 Pat your rationab here
-0 11	SELECT
12	p.Barcode AS [Patron Barcode],
12 13	pr.PatronFullName AS [Patron Name],
29 14 15 16 10 17	th.TranClientDate AS [Transaction Date],
9 15.	cir.Barcode AS [Item Barcode],
16	ird.Price AS [Price],
	br.BrowseTitle AS [Browse Title],
18	<pre>tt.TransactionTypeDescription AS [Transaction] pu.Name AS [Polaris User],</pre>
20	o.Name AS [Library/Branch],
21	w.DisplayName AS [Workstation]
22	
23	FROM
24	PolarisTransactions.Polaris.TransactionHeaders
25	
26	INNER JOIN Used to get the item record ID
27	PolarisTransactions.Polaris.TransactionDetails
28	ON (td1.TransactionID = th.TransactionID)
29 30	INNER JOINUsed to get the patron record ID PolarisTransactions.Polaris.TransactionDetails
31	(td2.TransactionID = th.TransactionID)
32	INNER JOIN SubTypeID 38 = The unique item record
33	Polaris.Polaris.CircItemRecords cir WITH (NOLO
34	<pre>(cir.ItemRecordID = tdl.numValue AND tdl.Tr</pre>
35	INNER JOIN Grabs the price from ItemRecordDetai
36	Polaris.Polaris.ItemRecordDetails ird WITH (NO
37	ON (ird.ItemRecordID = cir.ItemRecordID)
38	INNER JOIN SubTypeID 6 = The unique patron recor
39 40	Polaris.Polaris.PatronRegistration pr (pr.PatronID = td2.numValue AND td2.Transac
41	INNER JOIN Get patron barcode
42	Polaris.Polaris.Patrons p WITH (NOLOCK)
43	<pre>ON (pr.PatronID = p.PatronID)</pre>
44	INNER JOIN Get Transaction Type info
45	PolarisTransactions.Polaris.TransactionTypes t
46	<pre>ON (th.TransactionTypeID = tt.TransactionTypeI</pre>
47	INNER JOIN Get the browse title from the bib re
48 49	Polaris.Polaris.BibliographicRecords br WITH (ON (cir.AssociatedBibRecordID = br.Bibliograph
50	INNER JOIN Get the Polaris user
51	Polaris.Polaris.PolarisUsers pu WITH (NOLOCK)
52	<pre>(pu.PolarisUserID = th.PolarisUserID)</pre>
53	INNER JOIN Get the relevant organization
54	Polaris.Polaris.Organizations o WITH (NOLOCK)
55	<pre>ON (o.OrganizationID = th.OrganizationID)</pre>
56	INNER JOIN Get the workstation information
57	Polaris.Polaris.Workstations w WITH (NOLOCK)
58	<pre>ON (w.WorkstationID = th.WorkstationID)</pre>
59 60	WHERE
61	th.TransactionTypeID BETWEEN '6001' and '6999'
62	AND
63	td2.numValue = @Patron
64	AND Adjust dates as needed
65	th.TransactionDate BETWEEN '2024-05-01 00:00:0
66	
67	ORDER BY
68	th.TransactionDate DESC
68	th.TransactionDate DESC

0:00:00.000 AND 2024-08-07 23:59:59.999

6999

LOCK) OCK)

nTypeID) bib record WITH (NOLOCK) ographicRecordID)

Types tt WITH (NOLOCK)

H (NOLOCK) record ID FransactionSubTypeID = 6)

Headers th WITH (NOLOCK) Details td1 WITH (NOLOCK) Details td2 WITH (NOLOCK) record ID (NOLOCK) td1.TransactionSubTypeID = 38) dDetails


action],

> 21 - Polaris SQL > 21.01 - Repository > 🧧 Complete Patron Circulation History - IMPROVED.sql 🗸 🛛 🖧 Estimated Plan 🚰 Enable Actual Plan 🗸 Parse 🛱 Enable SQLCMD 📳 To Notebook PatronID



Purge your inactive patrons Sanitize your circulation data **Collect only what you need**





Deleting every record, you know what I mean

Puttin' mind on my money,

Downloadin', flee the scene, clean

~Rockwell Knuckles From the song Urgent, Important, Please Read off the album *Our Pathetic Age*



ABOUT RSS SUPPORT/FAQ PODCAST FO

NEWS

Al-Generated Slop Is Already In Your Public Library

EMANUEL MAIBERG - FEB 4, 2025 AT 9:09 AM





Librarians say that taxpayers are already paying for low quality Algenerated ebooks in public libraries.



Well I've got a piece of news, son That might make you change your mind Your life is historically meaningful And spans a significant time

> ~Bad Religion From the song Slumber off the album *Stranger Than Fiction*







🙆 Innovative Users Group 🗸

meep-working-groups

- # iug2025
- # iug2024
- # idea-exchange
- 🕨 🗰 general
-) 🗰 sierra
- # rest-apis
- # introductions
- # random
- # cataloging
- # hardware-and-networking
- i # vega
- # polaris-ils-advisory-com...
- 🗰 polaris
- # sql-polaris
- 🛛 🗰 iii-mobile
- ↓ past-chair-lounge
- # third-party
- REGIONAL GROUPS
- # regional-groups

Cyberpunk... 🞐 🞧 🌣

- # wciug
- # iug_east



Brad Smith (Lynx Consortium) Yesterday at 15:58



(1)

1.00

4 **Q**

We've used iTiva from Illion for Phone Notices for many many years. They don't have a vendor hosted service for it though. For SMS we

1 💿



using EMAG from Verizon.

Also an iTiva library here

February 5, 2025 Question for everyone! We want to investigate what options are out there for sending phone notices. Fellow Polaris customers - what service

Katie LeBlanc - CMPL (MI) Today at 06:33

4 We are using Innovative's Phone Alerts IPA along with the SMS.

Fran - MCLINC (PA) Today at 11:22

Does anyone know if there's a way to limit how many times staff can waive say, lost or damaged charges on a patron's account? I'm preti it's not, but just wanted to check. Had a director asking - they pointed out that you can limit the number of claims and were wondering waiving charges as well.

Wes Osborn - CLC (OH) Today at 12:27

There is support for a waiver request workflow: 100

https://documentation.iii.com/leap/77/Default.htm#LEAP1_0/Patrons/Waiver_request_workflow.htm

61 👁

Nate B (ACPL) Today at 14.56

I've been dealing with oversight issues this week. The problem I run into is that the proscribed waiver action throug select and then waive with notes can easily be bypassed by just checking out an item to a new account and then ov track those without running a complete transaction logfile and then isolating user with workstation and then the ci Whole lotta excel sorting there.

I'm definitely looking at that waiver request workflow after this last week.

🕂 Message #polaris



-

Topics • 👗 My Posts Invite

i More V CATEGORIE


- IUG Annou
- Jobs
- Polaris
- 📕 Sierra, Mi
- Vega
- 💷 All categori
- TAGS
- 🔹 forum-tips
- II All tags
- MESSAGES
- 🖾 Inbox
- V DMS

ا که 🖈 🌲	Search Q. 🖸 🥐				
are	ACTIVITY – 1 🌣				
	IUG CHAIR – 1 Jeff Campbell – UNC				
se do y	IUG VICE CHAIR - 1 Eleanor C - SILS STEERING COMMITEE - 4				
ty sure about	Cyberpunk Librarian				
novative ers Group		IUG Hon	ne Profile		Q 🔮
	categories ▶ tags ▶ Latest Categories New (4) Unread (5) Top			+	New Topic
	/프 Topic		Replies	Views	Activity
S	Different ways to inventory collections Sierra, Millennium & Encore	0 0 3 0	4	19	17m
incements 🔹	News from PIAC - January 2025 • Polaris		0	8	12h
lennium 🔍	Forum Follow-up: How to subscribe to Innovative Announcements • General		2	13	14h
95	Phone Notice Services • Polaris polaris-sys-admin, notices Hast visit		1	8	14h
1	Batch Deleting Hidden Lists • Sierra, Millennium & Encore sierra	1	2	4	1d
	Sierra and series authorities • Sierra, Millennium & Encore	•	0	4	1d
÷.	Changes to NotificationUpdate 7.7 (and possible ealier) Polaris		1	28	1d
	IUG2025: get moving at the Pillars of Motion session		0	16	5d
	Experiences with new ticketing portal and escalating tickets? Sierra, Millennium & Encore sierra	8908	9	66	5d
	2025 IUG Beacon Award - Nominate an IUG Rock Star! - Deadline February 21st, 2025 11:59 PM Eastern IUG Announcements		o	27	6d





Find your support systems **Keep looking for answers** Help those who need it Run the data Share your knowledge Share the media



Be kind to each other





THANK YOU!

Resources, Links, and More cyberpunklibrarian.com/iug2025

Daniel Messer Integrated Library Systems Administrator Library Systems & Services Email: daniel.messer@lsslibraries.com Mastodon: @cyberpunklibrarian@hackers.town

